

Full Spectrum 1000mg

Sample ID: HR20221090155
Strain: Full Spectrum 1000mg
Matrix: Ingestible
Type: Tincture
Sample Size: ; Batch:

Produced:
Collected: 10/12/2022
Received: 10/12/2022
Completed: 10/13/2022
Batch#: FS101

Client
Transcending Organics
Lic. #
2070 N Broadway #144
Walnut Creek, CA 94596




Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	10/13/2022	Complete
Microbials	10/13/2022	Pass

Cannabinoids

Complete



Analyte	LOD	LOQ	Mass	Mass	Mass	Mass	Mass
	mg/g	mg/g	%	mg/g	mg/mL	mg/unit	mg/serving
THCa	0.03000	0.08000	ND	ND	ND	ND	
Δ9-THC	0.02000	0.06000	0.01	0.09	0.09	2.58	
Δ8-THC	0.02000	0.05000	ND	ND	ND	ND	
THCV	0.02000	0.06000	0.27	2.68	2.68	80.40	
CBDa	0.01000	0.04000	ND	ND	ND	ND	
CBD	0.02000	0.06000	5.95	59.47	59.47	1784.19	
CBDV	0.02000	0.05000	1.58	15.79	15.79	473.73	
CBN	0.02000	0.06000	<LOQ	<LOQ	<LOQ	<LOQ	
CBGa	0.04000	0.11000	ND	ND	ND	ND	
CBG	0.02000	0.05000	0.52	5.18	5.18	155.43	
CBC	0.02000	0.05000	ND	ND	ND	ND	
CBL	0.02000	0.07000	ND	ND	ND	ND	
Total THC			0.01	0.09	0.09	2.58	
Total CBD			5.95	59.47	59.47	1784.19	
Total			8.32	83.21	83.21	2496.33	0.00

1 Unit = ml, 30g, 1 mL = 1g.

Determination of Cannabinoids by HPLC, HL223

Total THC = THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



Ming Li

Ming Li - General Manager
10/13/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Full Spectrum 1000mg

Sample ID: HR20221090155
Strain: Full Spectrum 1000mg
Matrix: Ingestible
Type: Tincture
Sample Size: ; Batch:

Produced:
Collected: 10/12/2022
Received: 10/12/2022
Completed: 10/13/2022
Batch#: FS101

Client
Transcending Organics
Lic. #
2070 N Broadway #144
Walnut Creek, CA 94596

Microbials

Analyte	Units	Status
Aerobic Plate Count	CFU/g	
Aspergillus flavus	NR	NT
Aspergillus fumigatus	NR	NT
Aspergillus niger	NR	NT
Aspergillus terreus	NR	NT
Shiga Toxin-producing E. coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass
Yeast & Mold	NR	NT



Date Tested: 10/13/2022

NR = Not Reported; Aerobic Bacteria refers to Aerobic Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 3. E.coli refers to E.coli Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Coliforms refers to Coliform Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Salmonella analysis method by Compact Dry SL, Hardy Diagnostics. Visual Mold inspection by UV light. 1= Mold Present, 0=Mold Not Present. Yeast and Mold Plate count method by AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC. SOP HL 316. Aspergillus sp., SOP HL311.2 (modified) & SOP HL 317. Microbial Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15720 and §15722.



Ming Li - General Manager
10/13/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.